The STOMP trial for TPOXX treatment is now recruiting patients with moderate and even mild disease in Los Angeles. The trial is also able to provide financial support and transportation for participants. Additional information can be found at <a href="https://www.stomptpoxx.org">www.stomptpoxx.org</a>. For referral, please contact the trial coordinator Maricela Gonzalez at 310-557-3759 or <a href="mailto:emailt

Clinicians, care facilities, and hospitals providing tecovirimat (TPOXX) can immediately transition to the CDC <u>revised protocol and forms (version 6.1 dated August 10, 2022) [495 KB, 22 pages]</u>. All visits can be done through telemedicine and institutions should follow their internal protocols for obtaining consent. Los Angeles County healthcare providers with a suspected or diagnosed monkeypox patient now can immediately treat and prescribe TPOXX by:

- Dispensing from onsite pre-positioned TPOXX stock OR
- Prescribing directly to a community pharmacy which carries tecovirimat (TPOXX) and sending the required forms OR
- Referring the patient to an urgent care which stocks TPOXX OR
- Calling the DPH healthcare provider line (213) 240-7941 or email <u>TPOXX@ph.lacounty.gov</u> to request assistance

#### **Required steps to prescribe TPOXX:**

- 1. Obtain informed consent prior to treatment.
  - Informed Consent Form English [268 KB, 6 pages] | Spanish [335 KB, 6 pages]:
    - a. Alternative Short Form Consent [134 KB, 3 pages] and Written Summary [230 KB, 5 pages] can also be used.
    - b. Clinicians should explain that tecovirimat is an investigational new drug (IND) and is not approved yet for treatment of monkeypox.
    - c. The patient signs and completes the consent form.
    - d. Clinician to fax/email consent form to the community pharmacy with other required documents if dispensing via that mechanism.
    - e. Store in patient records (no need to submit to CDC or DPH).
- Conduct baseline assessment and complete the <u>Patient Intake Form (Form A)</u> [PDF Attached]:
  - a. For each patient, the clinician completes the patient intake form
  - b. Clinician sends one copy to:
    - i. DPH at <a href="mailto:TPOXX@ph.lacounty.gov.">TPOXX@ph.lacounty.gov.</a>
    - ii. CDC via the <a href="mailto:regaffairs@CDC.gov">regaffairs@CDC.gov</a> or upload via the Sharepoint site.
    - iii. Community pharmacy if dispensing through them



- 3. Complete FDA Form 1572 (once per facility).
  - a. FDA Form 1572 [PDF Attached]:
    - i. Facility completes and signs the form; one signer must be a physician.
    - ii. One 1572 form per facility suffices for all TPOXX treatments dispensed or prescribed at the same facility regardless of the prescriber.
    - iii. All other clinic providers (optional) can be added under section 6 (sub-investigators) but facility providers do not need to be listed in order to prescribe.
    - iv. For clinics: IRB section can be left blank since CDC IRB has approved.
    - v. For institutional: request exemption/determine whether your IRB will defer to CDC IRB
    - vi. Send form to CDC via the <a href="mailto:regaffairs@CDC.gov">regaffairs@CDC.gov</a> or upload via the Sharepoint site.
    - vii. Send one completed form to any community pharmacy with TPOXX prescription and then store the form on file to be used for all patients/treatments/external partners moving forward.
- 4. Prescribe directly to a community pharmacy which carries tecovirimat
  - a. Prescribe directly to pharmacy (e-prescribe or written) dosing:
    - i. Patients who weigh less than 265 lbs (120 kg):
      - 1. Oral tecovirimat 600mg every 12 hours for 14 days with a full glass of water, 30 minutes after eating a full meal of moderate or high fat.
    - ii. Patients who weigh over 265 lbs (≥ 120 kg):
      - 1. Oral tecovirimat 600mg every 8 hours for 14 days with a full glass of water, 30 minutes after eating a full meal of moderate or high fat.
  - b. Fax or e-mail three required documents:
    - i. Informed consent
    - ii. Form 1572 (only needs to be sent once)
    - iii. Completed patient intake form A (must list weight, medication list and allergies)
    - iv. Patient face sheet with their contact information including address.



- 5. Providers with on-site TPOXX stock can dispense directly from their stock
  - a. Email completed patient intake form (can be one email) to:
    - TPOXX@ph.lacounty.gov
    - CDC@regaffairs.gov
- 6. Reporting Serious Adverse Events:

Per FDA requirement, report life-threatening or serious adverse events associated with TPOXX by completing a <a href="PDF MedWatch Form">PDF MedWatch Form</a> [956 KB, 5 pages] and returning it to CDC via email (<a href="regaffairs@cdc.gov">regaffairs@cdc.gov</a>) or uploading to <a href="ShareFile">ShareFile</a> within 72 hours of awareness or sooner, if possible. The PDF MedWatch Form can also be downloaded from <a href="the FDA website">the FDA website</a>. (Note: The MedWatch Form can only be viewed on the Adobe desktop app. Please save or download the form for viewing.)

#### Requesting a pre-positioned stock of TPOXX:

For clinics or health systems that have a pharmacist and want to have a stock of tecovirimat on hand for additional patients please email <a href="mailto:tpoxx@ph.lacounty.gov">tpoxx@ph.lacounty.gov</a> to request.

Seen next page for a list of LA County community pharmacies that stock TPOXX



## **List of Los Angeles County community pharmacies which stock TPOXX**

To prescribe please send the:

- 1) Prescription
- 2) Patient intake
- 3) Patient consent
- 4) Form 1572

## **TPOXX DISPENSING PHARMACIES – as of 9/26/22**

## All offer shipping

Site	Address	Hours	Courses	Delivery/Shipping Fees
986/Cosmed Pharmacy	6521 Van Nuys	M-F: 9-6	6	
James Chang	Blvd	Sat: 9-4		
james.chang@986pharmacy.com	Van Nuys, CA	Closed Su		
	91401			
	(818) 933-2010			
Elements Pharmacy	12602 Ventura	M-F: 9-6	6	
Sherri Cherman	Blvd	Sat: 9-4		
sherri@elementspharmacyrx.com	Studio City, CA	Closed Su		
	91604			
	(818) 762-2055			
LA Compounding Pharmacy	8600 W 3rd St	M-F: 9-6	12	
Mousa Mirakhor	#1	Closed Sa		
masterscompounding@gmail.com	Los Angeles,	& Su		
	CA 90048			
	(310) 362-4122			
Medex Pharmacy	8441 Foothill	M-F: 9-7	6	- Next day w/in
Monte Keshishian	Blvd	Sat: 9-2		10-mile
monte@medexpharmacies.com	Los Angeles,	Closed Su		radius: free
	CA 91040			- Same day
	(818) 925-1321			w/in 10-mi
				radius: \$15.00
				- Same day
				w/in a 20-
				mile radius:
				\$25.00
				<ul> <li>Patients must</li> </ul>
				call for
				beyond 20
				miles



NA (C ) E!	24720.6	NA E 0 20	-	1
Mercy (Carson) Pharmacy	21720 S	M-F: 9:30-	6	
Jean Ly	Vermont Ave	6:30		
jean.ly@mercy-pharmacy.com	Suite 101	Saturday:		
	Torrance, CA	9:30-4		
	90502	Closed Su		
	(310) 328-0982			
Mickey Finne Pharmacy	433 N Roxbury	M-Th:	6	
Jeff Gross	Dr, Beverly	8:30-6:30		
jeff@mickeyfine.com	Hills, CA 90210	F: 8:30-6		
	(310) 271-6123	Sat & Sun:		
		9-2		
Price Care Pharmacy	10837 Downey	M-F: 10-5	6	\$10-15 shipping costs
Parth Parikh	Ave, Downey,	Closed Sa		
picocarerx@gmail.com	CA 90241	& Su		
	(562) 825-5923			
986 Pharmacy Temple City	9612 Las Tunas	M-F: 9-6	6	
Minh Chau – Pharmacy Manager	Dr.	Sat: 9-4		
Minh.chau@986pharmacy.com	Temple City,	Closed Su		
	CA 91780			
	626-780-4849			
White Memorial Medical Plaza	1701 E Cesar E	M-F: 8-7	6	
Pharmacy	Chavez Ave,	Sat: 9-2		
Dr. Patel Pareshkumar	Suite 109, Los	Closed Sa		
Wmmp.pharmacy@gmail.com	Angeles, CA	Closed su		
vviiiip.piiariiiacy@giiiaii.com	90033			
	(323) 221-6000			
	(323) 221 0000			
Olympia Plaza Pharmacy	5901 W.	M-F: 8:30	12	
Dr. Joshua Thorburn	Olympic Blvd.	am – 6 pm	14	• In-store pick-up by
Email:	Suite 103	Sat & Sun:		friend or family
		Closed		•
joshuathorburn@hotmail.com_	Los Angeles,	Cioseu		representative, or
Website:	Ca 90036			curbside pick-up
www.OlympiaPlazaRx.com	Phone: 323-			Same day or next
	937-2590			day delivery: \$10,
	Fax: 323-937-			must receive by 10a
	0259			
HealthRx Pharmacy	1844 E. RTE 66	M-F: 10am	6	
Pharmacist: Mai Thai	Glendora, Ca	– 7pm		
Email:	91740	Sat: 10am		
mai@healthrxpharmacy.com	Phone #: 626-	– 3pm		
	335-4777	Sun:		



# FORM A: Required Patient Intake Form (v6.2 October 24, 2022)

This Patient Intake form must be completed for each patient treated with tecovirimat. Completed Patient Intake form must be submitted to CDC within 7 calendar days of prescribing or initiating therapy. \*Denotes required

fields. This fillable PDF version is for LA County Department of Public Health Use ONLY.

their voluntary participation.						
		receiving TPOXX under this exp	nanded acc	ess INT	rather than ch	nosing to enroll in
STOMP* (Selec		cectving 11 Ozzz under tins exp	panucu acc	CSS II (L	rather than en	loosing to enron in
	available at this heal	theare facility				
		STOMP after being informed and	offered to	concent	in for participat	ion
		t appropriate for the patient	offered to	Consent	iii ioi participat	1011
		** *				
	•	enrollment in STOMP				
Other, specif		Tr. 4: Di · · · I	I II AI 🔸			
Date of assessm	ent*	Treating Physician F	uli Name*			
PATIENT INFO	ORMATION					
		Hospital/Medical Facility-assi	gned Patie	nt ID*	Date of Birth*	Weight* (kg)
1 4441414 (1		and promitive areas a message asset	g 1		2 400 01 211 111	(118)
Sex assigned at	Gender patient id	entifies as*	Is the pat	ient pr	egnant?*	
birth*	$\bigcap$ M $\bigcap$ F $\bigcap$ Tr	ansgender male	☐ Yes ☐	∃ № Г	Unknown	
$\square$ M $\square$ F		male Other Unknown				Unknown
			If yes, we	eks of g	gestation	_ Unknown
Ethnicity*		Race* (select all that apply)				
Hispanic or I		African American/Black			an or Alaska Na	
Not Hispanic	or Latino	Asian	=	Hawaii	an or Othe <u>r P</u> aci	
Unknown		White	U Other		∐ Ur	ıknown
Is patient willin	g to be contacted fo	or potential follow-up surveys?				
Yes No	Unknown					
If yes, Patient Co	ell Phone	Patient Email Addres	SS			
TECOVIDIMA	TTDEATMENT					
	T TREATMENT		r oll that		Dagaga*	Euggnongy*
☐ Date		Administration route* check			Dosage*	Frequency*
☐ Date	T TREATMENT				Dosage*	Frequency*
Date prescribed*		Administration route* check apply			Dosage*	Frequency*
Date prescribed*		Administration route* check apply  Oral NG Tube IV	7		Dosage*	Frequency*
Date prescribed*		Administration route* check apply	7		Dosage*	Frequency*
☐ Date prescribed* ☐ Date first do	ose administered	Administration route* check apply  Oral NG Tube IV	7		Dosage*	Frequency*
Date prescribed* Date first do Is this the patie	ose administered	Administration route* check apply  Oral NG Tube IV Other, specify	, 		Dosage*	Frequency*
Date prescribed* Date first do Is this the patie	ose administered	Administration route* check apply  Oral NG Tube IV Other, specify Yes No Unknown	, 		Dosage*	Frequency*
Date prescribed* Date first do Is this the patie being treated w	ose administered nt's first time ith tecovirimat?*	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat tre Duration (days)	, 		Dosage*	Frequency*
Date prescribed* Date first do Is this the patie being treated w	ose administered  nt's first time ith tecovirimat?*  TECOVIRIMAT T	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat tre Duration (days)  TREATMENT	, 		Dosage*	Frequency*
Date prescribed* Date first do Is this the patie being treated w  REASON FOR What is the indi	nt's first time ith tecovirimat?*  TECOVIRIMAT Tication for tecovirim	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat tre Duration (days)  TREATMENT mat treatment?	eatment cou		Dosage*	Frequency*
Date prescribed*	ose administered  nt's first time ith tecovirimat?*  TECOVIRIMAT Tication for tecoviring	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat treed treatment?  Oxvirus Infections Yes	eatment cou	rse		
Date prescribed*	ose administered  nt's first time ith tecovirimat?*  TECOVIRIMAT Tication for tecoviring	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat tre Duration (days)  TREATMENT mat treatment?	eatment cou	rse		
Date prescribed* Date first do  Is this the patie being treated w  REASON FOR What is the indi Primary Tre Is the patie Reason(s)	nt's first time ith tecovirimat?*  TECOVIRIMAT Tication for tecoviriment for Orthopent laboratory-confirm for tecovirimat treatment for the tecovirimat treatment for the tecovirimat treatment for tecovirimat treatment for the tecoviriemat treatment for the tecoviriemat tr	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat tree Duration (days)  TREATMENT  nat treatment?  oxvirus Infections Yes  med orthopoxvirus positive? Yes ment* (check all that apply):	eatment cou	rse	sults pending	Unknown
Date prescribed* Date first do Is this the patie being treated w  REASON FOR What is the indi 1. Primary Tre  • Is the patie  • Reason(s)  Lesie	nt's first time ith tecovirimat?*  TECOVIRIMAT Tecation for tecoviring eatment for Orthop ent laboratory-confirm for tecovirimat treatments in anatomic area	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat tree Duration (days)  TREATMENT mat treatment? The oxvirus Infections Yes Mean orthopoxvirus positive?	eatment cou	rse	sults pending	Unknown
Date prescribed* Date first do  Is this the patie being treated w  REASON FOR What is the indi 1. Primary Tro  Reason(s) Lesion	nt's first time ith tecovirimat?*  TECOVIRIMAT Tication for tecoviring eatment for Orthop ent laboratory-confirm for tecovirimat treatments in anatomic area thra, rectum, anus)	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat treed to determine the determine treed to determine the determine treed to determine the determine	eatment cou  No Yes No	rse Res	sults pending  sults pending that	Unknown ynx, genitals,
Date prescribed* Date first do Date first do Is this the patie being treated w  REASON FOR What is the indi Primary Tre Is the patie Reason(s) Lesie uretl Risk	nt's first time ith tecovirimat?*  TECOVIRIMAT Tication for tecoviring eatment for Orthop ent laboratory-confirm for tecovirimat treatments in anatomic area thra, rectum, anus)	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat tree Duration (days)  TREATMENT  nat treatment?  oxvirus Infections Yes  med orthopoxvirus positive? Yes ment* (check all that apply):	eatment cou  No Yes No	rse Res	sults pending  sults pending that	Unknown ynx, genitals,
Date prescribed* Date first do Date first do Is this the patie being treated w  REASON FOR What is the indi Primary Tro Is the patie Reason(s) Lesio uretl Risk affect Seve	nt's first time ith tecovirimat?*  TECOVIRIMAT Tication for tecovirimat treatment for Orthop ent laboratory-confirmat treatments in anatomic area thra, rectum, anus) at of severe outcome enting skin integrity are infections (e.g., here)	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat treed to buration (days)  TREATMENT mat treatment? oxvirus Infections Yes med orthopoxvirus positive? Yes ment* (check all that apply): s which might result in serious sedue to uncontrolled HIV or other emorrhagic disease; large number	No Yes No equelae (e.g. conditions,	rse Res	sults pending  sinvolving phary ncy, pediatric pa	Unknown  Vnx, genitals,  tient, or condition
Date prescribed* Date first do  Is this the patie being treated w  REASON FOR What is the indi 1. Primary Tre  Reason(s) Reason(s) Risk affed Seve	nt's first time ith tecovirimat?*  TECOVIRIMAT Tication for tecovirimat treatment for Orthopent laboratory-confirm for tecovirimat treatment, rectum, anus) and severe outcome enting skin integrity are infections (e.g., hephalitis; ocular or permanents)	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat tree Duration (days)  TREATMENT  mat treatment?  movirus Infections Yes Med orthopoxvirus positive?  med orthopoxvirus positive?  ment* (check all that apply): s which might result in serious sedue to uncontrolled HIV or other emorrhagic disease; large number eriorbital infections; or other condi-	No Yes No equelae (e.g. conditions,	rse Res	sults pending  sinvolving phary ncy, pediatric pa at they are confluspitalization)	Unknown  ynx, genitals,  tient, or condition  uent; sepsis;
Date prescribed* Date first do Is this the patie being treated w  REASON FOR What is the indi 1. Primary Tro  • Is the patie • Reason(s)	nt's first time ith tecovirimat?*  TECOVIRIMAT Tication for tecovirimat treatment for Orthopent laboratory-confirm for tecovirimat treatment, rectum, anus) and severe outcome enting skin integrity are infections (e.g., hephalitis; ocular or permanents)	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat tre Duration (days)  TREATMENT  mat treatment?  coxvirus Infections Yes  med orthopoxvirus positive? Yes ment* (check all that apply): s which might result in serious sedue to uncontrolled HIV or other emorrhagic disease; large number eriorbital infections; or other conditions.	No Yes No equelae (e.g. conditions,	rse Res	sults pending  sinvolving phary ncy, pediatric pa	Unknown  ynx, genitals,  tient, or condition  uent; sepsis;
Date prescribed* Date first do Is this the patie being treated w  REASON FOR What is the indi 1. Primary Tre  • Is the patie • Reason(s)  □ Lesie uretl □ Risk affee □ Seve ence □ Pain  OR	nt's first time ith tecovirimat?*  TECOVIRIMAT To ication for tecovirimat treatment for Orthopent laboratory-confirm for tecovirimat treatment, rectum, anus) and severe outcome enting skin integrity are infections (e.g., hephalitis; ocular or per life Other severe sev	Administration route* check apply  Oral NG Tube IV Other, specify  Yes No Unknown If no, date of last tecovirimat tree Duration (days)  TREATMENT  mat treatment?  movirus Infections Yes Med orthopoxvirus positive?  med orthopoxvirus positive?  ment* (check all that apply): s which might result in serious sedue to uncontrolled HIV or other emorrhagic disease; large number eriorbital infections; or other condi-	No Yes No equelae (e.g. conditions, r of lesions litions requi	rse Res	sults pending  sinvolving phary ncy, pediatric pa at they are confluspitalization)	Unknown  ynx, genitals,  tient, or condition  uent; sepsis;

## This fillable PDF version is for LA County Department of Public Health Use ONLY.

Yes No ** Note: PEP use is determined on an <b>individual basis</b> in consultation with CDC.**					
OR  2 Secondary Treatment for Compli	aatiana Dagulting fuor	m ACAM2000 Vaasi	notion DV	ng □No	
3. Secondary Treatment for Complice Patient developed vaccine-related			nauon 🔛 Ye	es No	
Vaccinated with ACAM2000 of			nt		
<ul> <li>If Yes, date of vaccination</li> </ul>					
• What is the complication?					
Severe generalized v	accinia (GV)				
Eczema vaccinatum	,				
☐ Progressive vaccinia ☐ Serious inadvertent i	(vaccinia necrosum) noculation				
Date of illness onset		Date of e	exposure		
Signs/symptoms at illness onset (Sel		_	_		
Rash Lymphadenopathy	Fever Proctitis	Abscess Cell	ulitis 🔲 Dy	suria	
☐ Shortness of breath ☐ Headache	Malaise Oth	her, specify			
MEDICAL HISTORY					
Patient treatment started as inpatien					
Outpatient Inpatient, dat	e of admission				
If inpatient, a	admitted to ICU? 🔲 🕆	Yes, date	L No	Unknow	/n
Does patient have history of prior sr	nallpox/monkeypox	vaccination?* 🗌 Y	es No	Unknown	L
• If yes, indicate the vaccine(s) receiv	red: ACAM2000	Jynneos Othe	r, specify		
Unknown vaccine product, but j	patient self-reports pr	ior smallpox/monkey	pox vaccinati	ion	
• If vaccinated with ACAM2000, was					
Yes No If yes, date of take _		Unknown			
Date of vaccination		Unknow	n		
Prior Medical History* (select all that	ıt apply)				
Prior monkeypox illness*					
Yes No Unknown					
If yes, date of prior illness					
Indicate all treatment(s) the patient	t received for prior me	onkeypox illness			
	Date(s) given	Administration Route	Dosage	Frequency	Duration (days)
Oral tecovirimat capsules		Koute			
IV tecovirimat					
Cidofovir					
Vaccinia immune globulin					
intravenous (VIGIV)					
Trifluridine eye drops					
Other treatment type, specify					
Under treatment type, specify					
None					
Unknown					
HIV/AIDS					
CD4 count Viral load					
Is patient on ART? Yes No Unknown					
If yes, specify					

#### This fillable PDF version is for LA County Department of Public Health Use ONLY. Atopic dermatitis or eczema active historical If yes, please describe Other skin disease, specify \_\_\_\_\_ active historical Congenital/acquired immune defect Autoimmune/connective tissue disorder Bone marrow/organ transplant Leukemia Lymphoma Other cancer, specify History of psychiatric condition (e.g., depression) If yes, is patient on medication? Yes No Unknown If yes, specify Other pre-existing condition(s), specify Other infection(s), specify SIGNS/SYMPTOMS AT PRESENTATION FOR TPOXX THERAPY Number of lesions?\* Size of maximal lesion (mm) Percent of body affected by lesions (%) $\square$ 0 lesions $\square$ 1–10 lesions $\Box$ 11 – 50 lesions $\Box$ 51 – 100 lesions $\square > 100$ lesions Approximate # of lesions **DISTRIBUTION OF LESIONS Indicate the location of the patient's lesions?\*** (select all that apply) Other, specify \_\_\_\_ Ocular Skin Anogenital Oral mucosa Clinical Narrative (describe presenting illness, signs/symptoms, lesions) OTHER TREATMENTS FOR CURRENT ILLNESS Indicate other adjunct or concurrent treatment(s) specific for orthopoxvirus/monkeypox virus infection given Date initiated Administration Route Dosage Number of Doses Duration (days) Cidofovir Brincidofovir Vaccinia immune globulin intravenous (VIGIV) Trifluridine eye drops Other treatment type, specify HOSPITAL/MEDICAL FACILITY Hospital/Medical Facility Name\* **State or Territory\*** Zip code\* Citv\* Indicate if facility is a federal entity Bureau of Prisons ☐ Indian Health Service Health Resources & Services Administration Veterans Health Administration Department of State Other, specify

# **DEPARTMENT OF HEALTH AND HUMAN SERVICES**

FOOD AND DRUG ADMINISTRATION

#### STATEMENT OF INVESTIGATOR

(TITLE 21, CODE OF FEDERAL REGULATIONS (CFR) PART 312)

(See instructions on reverse side.)

Form Approved: OMB No. 0910-0014 Expiration Date: March 31, 2022 See OMB Statement on Reverse.

NOTE: No investigator may participate in an investigation until he/she provides the sponsor with a completed, signed Statement of Investigator, Form FDA 1572 (21 CFR 312.53(c)).

1. NAME AND ADDRESS OF INVESTIG	ATOR		
Name of Clinical Investigator			
Address 1		Address 2	
0.1	0		710 0 110 1
City	State/Province/Region	Country	ZIP or Postal Code
		ESTIGATOR AS AN EXPERT IN THE CLINIC DLLOWING IS PROVIDED (Select <b>one</b> of the	
		,	· cc · · · · · · · · · · · · · · · ·
Cur	riculum Vitae	Other Statement of Qualifications	
3. NAME AND ADDRESS OF ANY MED WHERE THE CLINICAL INVESTIGAT		THER RESEARCH FACILITY	CONTINUATION PAGE for Item 3
Name of Medical School, Hospital, or Oth	ner Research Facility		
Address 1		Address 2	
City	State/Province/Region	Country	ZIP or Postal Code
4. NAME AND ADDRESS OF ANY CLINICAL LABORATORY FACILITIE		O BE USED IN THE STUDY	CONTINUATION PAGE for Item 4
Name of Clinical Laboratory Facility			
Address 1		Address 2	
			T
City	State/Province/Region	Country	ZIP or Postal Code
5. NAME AND ADDRESS OF THE INST REVIEW AND APPROVAL OF THE S		) THAT IS RESPONSIBLE FOR	CONTINUATION PAGE for Item 5
Name of IRB			
Human Research Protection Office,	Centers for Disease Control an		
Address 1		Address 2	
1600 Clifton Rd.	Otata (Danada a / Danada a	MS D-73	71D D4-1 O- 4-
City Atlanta	State/Province/Region GA	Country United States	ZIP or Postal Code 30329
		Office States	30327
6. NAMES OF SUBINVESTIGATORS (If	not applicable, enter "None")		
		CONTI	NUATION PAGE – for Item 6
7 NAME AND CODE NUMBER IF ANY	OF THE PROTOCOL (S) IN THE IN	ND FOR THE STUDY(IES) TO BE CONDUC	TED BY THE INVESTIGATOR
-		Treatment of Human Orthopoxvirus In	fections (CDC IND
116039, CDC IRB Protocol #6402)			

8. PROVIDE THE FOLLOWING CLINICAL PROTOCOL INFORMATION. (Select one of the following.)					
For Phase 1 investigations, a general outline of the planned investigation including the estimated duration of the study and the maximum number of subjects that will be involved.					
For Phase 2 or 3 investigations, an outline of the study protocol including an approximation of the number of subjects to be treated with the drug and the number to be employed as controls, if any; the clinical uses to be investigated; characteristics of subjects by age, sex, and condition; the kind of clinical observations and laboratory tests to be conducted; the estimated duration of the study; and copies or a description of case report forms to be used.					
9. COMMITMENTS					
	r(ies) in accordance with the relevant, current protocol(s) and twhen necessary to protect the safety, rights, or welfare of				
I agree to personally condu	I agree to personally conduct or supervise the described investigation(s).				
I agree to inform any patients, or any persons used as controls, that the drugs are being used for investigational purposes and I will ensure that the requirements relating to obtaining informed consent in 21 CFR Part 50 and institutional review board (IRB) review and approval in 21 CFR Part 56 are met.					
	I agree to report to the sponsor adverse experiences that occur in the course of the investigation(s) in accordance with 21 CFR 312.64. I have read and understand the information in the investigator's brochure, including the potential risks and side effects of the drug.				
l agree to ensure that all as obligations in meeting the a	sociates, colleagues, and employees assisting in the condubove commitments.	ct of the study(ies) are informed about their			
I agree to maintain adequat inspection in accordance wi	e and accurate records in accordance with 21 CFR 312.62 th 21 CFR 312.68.	and to make those records available for			
I will ensure that an IRB that complies with the requirements of 21 CFR Part 56 will be responsible for the initial and continuing review and approval of the clinical investigation. I also agree to promptly report to the IRB all changes in the research activity and all unanticipated problems involving risks to human subjects or others. Additionally, I will not make any changes in the research without IRB approval, except where necessary to eliminate apparent immediate hazards to human subjects.					
l agree to comply with all ot 21 CFR Part 312.	her requirements regarding the obligations of clinical invest	igators and all other pertinent requirements in			
	INSTRUCTIONS FOR COMPLETING FORM STATEMENT OF INVESTIGATOR	FDA 1572			
Complete all sections. P	rovide a separate page if additional space is needed.				
· ·	Provide curriculum vitae or other statement of qualifications as described in Section 2.				
3. Provide protocol outline as described in Section 8.					
4. Sign and date below.					
FORWARD THE COMP incorporate this informat	LETED FORM AND OTHER DOCUMENTS BEING PROVI ion along with other technical data into an Investigational N HIS FORM DIRECTLY TO THE FOOD AND DRUG ADMINI	ew Drug Application (IND). INVESTIGATORS			
10. DATE (mm/dd/yyyy)	11. SIGNATURE OF INVESTIGATOR Sign				
(WARNING: A willfully false sta	tement is a criminal offense. U.S.C. Title 18, Sec. 1001.				
The information below applies or	ly to requirements of the Paperwork Reduction Act of 1995.				
response, including the time to re and maintain the data needed and comments regarding this burden es	of information is estimated to average 100 hours per eview instructions, search existing data sources, gather complete and review the collection of information. Send estimate or any other aspect of this information collection, his burden to the address to the right:	Department of Health and Human Services Food and Drug Administration Office of Operations Paperwork Reduction Act (PRA) Staff PRAStaff@fda.hhs.gov			
"An agency may not conduct or spo	nsor, and a person is not required to respond to, a	DO NOT SEND YOUR COMPLETED FORM			